STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING						FORI			
APPLI	CATION FOR	PERMIT TO DRILL				1. WELL NAME and NUMBER NBU 921-8B4S			
2. TYPE OF WORK DRILL NEW WELL (REENTER P8	&A WELL (DEEPEN	I WELL			3. FIELD OR WILDO	CAT NATURAL BUTTES		
4. TYPE OF WELL		ped Methane Well: NO				5. UNIT or COMMU	NITIZATION AGREENATURAL BUTTES	MENT NAME	
6. NAME OF OPERATOR KERR		GAS ONSHORE, L.P.				7. OPERATOR PHO			
8. ADDRESS OF OPERATOR P.O	. Box 173779, Г	Denver, CO, 80217				9. OPERATOR E-MA mary.m	IL ondragon@anadarko.	.com	
10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE) UTU-0149767		11. MINERAL OWNER FEDERAL INDIA	SHIP AN (STATE (0	FEE (12. SURFACE OWNI	ERSHIP DIAN 📵 STATE (FEE (
13. NAME OF SURFACE OWNER (if box 12	= 'fee')					14. SURFACE OWN	ER PHONE (if box 1	2 = 'fee')	
15. ADDRESS OF SURFACE OWNER (if box	12 = 'fee')					16. SURFACE OWN	ER E-MAIL (if box 1	.2 = 'fee')	
17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN')		18. INTEND TO COMM		ION I	FROM	19. SLANT			
Ute		YES (Submit Cor	mmingling Applicat	ion)	NO 📵	VERTICAL DIF	RECTIONAL 📵 HO	ORIZONTAL (
20. LOCATION OF WELL	FC	OOTAGES	QTR-QTR	9	SECTION	TOWNSHIP	RANGE	MERIDIAN	
LOCATION AT SURFACE	986 F	NL 604 FEL	NENE		8	9.0 S	21.0 E	S	
Top of Uppermost Producing Zone	1080 F	NL 1749 FEL	NWNE		8	9.0 S	21.0 E	S	
At Total Depth	1080 F	NL 1749 FEL	NWNE		8	9.0 S	21.0 E	S	
21. COUNTY UINTAH 22. DISTANCE TO NEAREST LEASE LINE (Feet) 604			et)	23. NUMBER OF ACRES IN DRILLING UNIT 777					
25. DISTANCE TO NEAREST WELL: (Applied For Drilling or Completed) 20				AME	POOL	26. PROPOSED DEPTH MD: 10636 TVD: 10500			
27. ELEVATION - GROUND LEVEL 4707		28. BOND NUMBER	WYB000291			29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE Permit #43-8496			
		АТТ	TACHMENTS						
VERIFY THE FOLLOWING	ARE ATTACH	IED IN ACCORCANCI	E WITH THE UT	ГАН (OIL AND G	AS CONSERVATI	ON GENERAL RU	LES	
✓ WELL PLAT OR MAP PREPARED BY	LICENSED SUF	RVEYOR OR ENGINEER	№ сом	PLET	E DRILLING	PLAN			
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE) FORM 5. IF OPER				F OPERATO	R IS OTHER THAN T	HE LEASE OWNER			
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY TOPOGRAPHICAL MAD				PHICAL MAI	•				
NAME Kevin McIntyre TITLE Regulatory Analyst I PHO			PHONE 72	NE 720 929-6226					
SIGNATURE DATE 03/26/2009 EMAIL			EMAIL Kev	vin.McIntyre@anadark	o.com				
API NUMBER ASSIGNED APPROVAL 43047501070000			Perm	Lit Manager					


	Proposed Hole, Casing, and Cement								
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)					
Surf	12.25	9.625	0	2650					
Pipe	Grade	Length	Weight						
	Grade J-55 LT&C	2650	36.0						
	Cement Interval	Top (MD)	Bottom (MD)						
		0	2650						
		Cement Description	Class	Sacks	Yield	Weight			
			Premium Foamed Cement	215	1.18	15.6			

Proposed Hole, Casing, and Cement								
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)				
Prod	7.875	4.5	0	10500				
Pipe	Grade	Length	Weight					
	Grade I-80 LT&C	10500	11.6					
	Cement Interval	Top (MD)	Bottom (MD)					
		0	10500					
		Cement Description	Class	Sacks	Yield	Weight		
			Premium Lite High Strength	460	3.38	11.0		
			Pozzuolanic Cement	1430	1.31	14.3		



KERR-McGEE OIL & GAS ONSHORE LP DRILLING PROGRAM

COMPANY NAME	KERR-McGEE OIL & GAS ONSHORE LP	DATE	Septemb	er 3, 2008	
WELL NAME	NBU 921-8B4S	TD	10,500	TVD	10,636' MD
FIELD Natural Butte	STATE	Utah	ELEVATION	4,707' GL	KB 4,722
SURFACE LOCATION	NENE 986' FNL & 604' FEL, Sec. 8, T 9S R 21	E	-		
	Latitude: 40.055206 Longitude: -1	09.567656		NAD 27	
BTM HOLE LOCATION	NWNE 1080' FNL & 1749' FEL, Sec. 8, T 9S R	21E			
	Latitude: 40.054939 Longitude: -1	09.571744		NAD 27	
OBJECTIVE ZONE(S)	Wasatch/Mesaverde				
ADDITIONAL INFO	Regulatory Agencies: BLM (MINERALS), BIA(SURFACE), UDOGM, Tri-County Health Dept.				



'APIWellNo:43047501070000'



KERR-McGEE OIL & GAS ONSHORE LP **DRILLING PROGRAM**

CASING PROGRAM

								DESIGN FACT	rors .
	SIZE	INTERVA	L	WT.	GR.	CPLG,	BURST	COLLAPSE	TENSION
CONDUCTOR	14"	0-40'							
							3520	2020	453000
SURFACE	9-5/8"	0 to	2650	36.00	J-55	LTC	0.85	1.63	6.04
							7780	6350	201000
PRODUCTION	4-1/2"	0 to		11.60	1-80	LTC	1.88	0.99	1.87

¹⁾ Max Anticipated Surf. Press.(MASP) (Surface Casing) = (Pore Pressure at next csg point-(0.22 psi/ft-partial evac gradient x TVD of next csg point)

2) MASP (Prod Casing) = Pore Pressure at TD - (.22 psi/ft-partial evac gradient x TD)

(Burst Assumptions: TD = 11.8 ppg)

.22 psi/ft = gradient for partially evac wellbore

(Collapse Assumption: Fully Evacuated Casing, Max MW)

(Tension Assumptions: Air Weight of Casing*Buoy.Fact. of water)

4200 psi MASP **CEMENT PROGRAM**

		FT OF HILL	DESCRIPTION	SACKS	I∌X(BESIS	WEIGHT	YIELD
SURFACE	LEAD	500	Premium cmt + 2% CaCl	215	60%	15.60	1.18
Option 1		ļ	+ .25 pps flocele				
TOP OU	T CMT (1)	200	20 gals sodium silicate + Premium cmt	50		15.60	1.18
			+ 2% CaCl + .25 pps flocele				
TOP OU	T CMT (2)	as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
SURFACE		200	NOTE: If well will circulate water to sur	face, optic	on 2 will be	utilized	
Option 2	LEAD	1500	65/35 Poz + 6% Gel + 10 pps gilsonite	360	35%	12.60	1.81
		1113	+.25 pps Flocele + 3% salt BWOW				
	TAIL,	500	Premium cmt + 2% CaCl	180	35%	15.60	1.18
			+ .25 pps flocele		\$40% COPP.	Property	
TOP	оот смт	as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
			· 在於自然學術學學學院的學術學學	a Ya Ya		74 No E No Ey	14 (1994)
PRODUCTION	LEAD	4,806'	Premium Lite II + 3% KCI + 0.25 pps	460	40%	11.00	3.38
			celloflake + 5 pps gilsonite + 10% gel			1	
			+ 0.5% extender				
							병원병원하다
	TAIL	5,830	50/50 Poz/G + 10% salt + 2% get	1430	40%	14.30	1.31
			+.1% R-3				

^{*}Substitute caliper hole volume plus 0% excess for LEAD if accurate caliper is obtained

FLOAT EQUIPMENT & CENTRALIZERS

SURFACE	Guide shoe, 1 jl, insert float. Centralize first 3 joints with bow spring centralizers. Thread lock guide shoe.						
PRODUCTION	Float shoe, 1 jt, float collar. Centralize first 3 joints & every third joint to top of tail cement with bow spring centralizers.						

ADDITIONA

ADDITION	AL INFORMATION							
	Test casing head to 750 psi a	fter installing. Test surface casing to 1,500 psi prior to drilling out.						
	BOPE: 11" 5M with one annular and 2 rams. Test to 5,000 psi (annular to 2,500 psi) prior to drilling out. Record on chart recorder &							
	tour sheet. Function test rams on each trip. Maintain safety valve & inside BOP on rig floor at all times. Kelly to be equipped with upper							
	& lower kelly valves.							
	Drop Totco surveys every 200	0'. Maximum allowable hote angle is 5 degrees.	4					
	Most rigs have PVT System for	or mud monitoring. If no PVT is available, visual monitoring will be utilized.						
DRILLING	ENGINEER:		DATE:					
		Brad Laney						
DRILLING	SUPERINTENDENT:		DATE:					

Randy Bayne NBU 921-8B4S.xls

^{*}Substitute caliper hole volume plus 10% excess for TAIL if accurate caliper is obtained

NBU 921-8B4S Twin to NBU #202 NENE Sec. 8, T9S,R21E UINTAH COUNTY, UTAH UTU-0149767

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. <u>Estimated Tops of Important Geologic Markers</u>:

<u>Formation</u>	<u>Depth</u>
Uinta	0- Surface
Green River	1838'
Bird's Nest	2148'
Mahogany	2660'
Wasatch	5310'
Mesaverde	8423'
MVU2	9420'
MVL1	9953'
TVD	10,500'
TD	10,636'

2. <u>Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations</u>:

Substance	<u>Formation</u>	<u>Depth</u>
	Green River	1838'
	Bird's Nest	2148'
	Mahogany	2660'
Gas	Wasatch	5310'
Gas	Mesaverde	8423'
Gas	MVU2	9420'
Gas	MVL1	9953
Water	N/A	
Other Minerals	N/A	

3. <u>Pressure Control Equipment</u> (Schematic Attached)

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

4. **Proposed Casing & Cementing Program:**

Please see the Natural Buttes Unit SOP.

5. <u>Drilling Fluids Program</u>:

Please see the Natural Buttes Unit SOP.

6. <u>Evaluation Program:</u>

Please see the Natural Buttes Unit SOP.

7. <u>Abnormal Conditions:</u>

Maximum anticipated bottomhole pressure calculated at 10,500' TD, approximately equals 6510 psi (calculated at 0.62 psi/foot).

Maximum anticipated surface pressure equals approximately 4200 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates:

Drilling is planned to commence immediately upon approval of this application.

9. Variances:

Please see Natural Buttes Unit SOP Onshore Order #2 – Air Drilling Variance Kerr-McGee Oil & Gas Onshore LP (KMG) respectfully requests a variance to several requirements associated with air drilling outlined in Onshore Order 2

- Blowout Prevention Equipment (BOPE) requirements;
- Mud program requirements; and
- Special drilling operation (surface equipment placement) requirements associated with air drilling.

This Standard Operating Practices addendum provides supporting information as to why KMG current air drilling practices for constructing the surface casing hole should be granted a variance to Onshore Order 2 air drilling requirements.

The reader should note that the air rig is used only to construct a stable surface casing hole through a historically difficult lost circulation zone. A conventional rotary rig follows the air rig, and is used to drill and construct the majority of the wellbore.

More notable, KMG has used the air rig layout and procedures outlined below to drill the surface casing hole in approximately 675 wells without incident of blow out or loss of life.

Background

In a typical well, KMG utilizes an air rig for drilling the surface casing hole, an interval from the surface to surface casing depths, which varies in depth from 1,700 to 2,800 feet. The air rig drilling operation does not drill through productive or over pressured formations in KMG field, but does penetrate the Uinta and Green River Formations. The purpose of the air drilling operation is to overcome the severe loss circulation zone in the Green River known as the Bird's Nest while creating a stable hole for the surface casing. The surface casing hole is generally drilled to approximately 500 feet below the Bird's Nest.

Before the surface air rig is mobilized, a rathole rig is utilized to set and cement conductor pipe through a competent surface formation. Generally, the conductor is set at 40 feet. In some cases, conductor may be set deeper in areas that the surface formation is not found competent. This rig also drills the rat and mouse holes in preparation for the

surface casing and production string drilling operations.

The air rig is then mobilized to drill the surface casing hole by drilling a 12-1/4 inch hole to just above the Bird's Nest interval with an air hammer. The hammer is then tripped and replaced with a 12-1/4 inch tri-cone bit. The tri-cone bit is used to drill to the surface casing point, approximately 500 feet below the loss circulation zone (Bird's Nest). The 9-5/8 inch surface casing is then run and cemented in place, thereby isolating the lost circulation zone.

KMG fully appreciates Onshore Order 2 well control and safety requirements associated with a typical air drilling operations. However, the requirements of Onshore Order 2 are excessive with respect to the air rig layout and drilling operation procedures that are currently in practice to drill and control the surface casing hole in KMG Fields.

Variance for BOPE Requirements

The air rig operation utilizes a properly lubricated and maintained air bowl diverter system which diverts the drilling returns to a six-inch blooie line. The air bowl is the only piece of BOPE equipment which is installed during drilling operations and is sufficient to contain the air returns associated with this drilling operation. As was discussed earlier, the drilling of the surface hole does not encounter any over pressured or productive zones, and as a result standard BOPE equipment should not be required. In addition, standard drilling practices do not support the use of BOPE on 40 feet of conductor pipe.

Variance for Mud Material Requirements

Onshore Order 2 also states that sufficient quantities of mud materials shall be maintained or readily accessible for the purpose of assuring adequate well control. Once again, the surface hole drilling operations does not encounter over pressured or productive intervals, and as a result there is not a need to control pressure in the surface hole with a mud system. Instead of mud, the air rigs utilize water from the reserve pit for well control, if necessary. A skid pump which is located near the reserve pit (see attachment) will supply the water to the well bore.

Variance for Special Drilling Operation (surface equipment placement) Requirements Onshore Order 2 requires specific safety distances or setbacks for the placement of associated standard air drilling equipment, wellbore, and reserve pits. The air rigs used to drill the surface holes are not typical of an air rig used to drill a producing hole in other parts of the US. These are smaller in nature and designed to fit a KMG location. The typical air rig layout for drilling surface hole in the field is attached.

Typically the blooie line discharge point is required to be 100 feet from the well bore. In the case of a KMG well, the reserve pit is only 45 feet from the rig and is used for the drill cuttings. The blooie line, which transports the drill cuttings from the well to the reserve pit, subsequently discharges only 45 feet from the well bore.

Typically the air rig compressors are required to be located in the opposite direction from the blooie line and a minimum of 100 feet from the well bore. At the KMG locations, the air rig compressors are approximately 40 feet from the well bore and approximately 60 feet from the blooie line discharge due to the unique air rig design. The air compressors (see attachment) are located on the rig (1250 cfm) and on a standby trailer (1170 cfm). A booster sits between the two compressors and boosts the output from 350 psi to 2000 psi.

The design does put the booster and standby compressor opposite from the blooie line.

Lastly, Onshore Order 2 addresses the need for an automatic igniter or continuous pilot light on the blooie line. The air rig does not utilize an igniter as the surface hole drilling operation does not encounter productive formations.


Conclusion

The air rig operating procedures and the attached air rig layout have effectively maintained well control while drilling the surface holes in KMG Fields. KMG respectfully requests a variance from Onshore Order 2 with respect to air drilling well control requirements as discussed above.

10. Other Information:

Please see Natural Buttes Unit SOP.

EXHIBIT A



SCHEMATIC DIAGRAM OF 5,000 PSI BOP STACK

NBU 921-8B4S Twin to NBU #202 NENE Sec. 8 ,T9S,R21E UINTAH COUNTY, UTAH UTU-0149767

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. Existing Roads:

Refer to the attached location directions.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

2. Planned Access Roads:

No new access road is planned, as this is a twin location. However, there is a 290' re-route of the existing road. Refer to Topo Map B.

Existence of pipelines; maximum grade; turnouts; major cut and fills, culverts, or bridges; gates, cattle guards, fence cuts, or modifications to existing facilities were determined at the on-site.

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

3. Location of Existing Wells Within a 1-Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see the Natural Buttes Unit SOP.

Refer to Topo Map D for the location of the proposed pipelines.

A 445' rights-of-way will be required. Approximately 445' of 4" steel pipeline is proposed from the location to the tie-in point in Section 8, T9S, R21E. Please refer to the Topo Map D. The pipeline will be constructed utilizing existing rights were possible and pulled into place using a rubber tired tractor. The pipeline will be butt-welded together.

Variances to Best Management Practices (BMPs) Requested:

Approximately 445' of 4" steel pipeline will be installed on surface within the access corridor for the well location. As a Best Management Practice (BMP), the pipeline would be buried within the access road corridor if possible. The construction of pipelines requires the corridor of 30 feet.

This exception to the BMP should be granted by the BLM Authorized Officer because indurated bedrock, such as sandstone, is at or within 2 feet of the surface and the soil has a poor history for successful rehabilitation.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The requested color is Carlsbad Canyon Brown (2.5Y 6/2), a non-reflective earthtone.

Interim Surface Reclamation Plan:

This exception is requested due to the current twin and multi-well program. If determined that this well will not be a candidate for either twinning &/or multi-well the operator shall spread the topsoil pile on the location up to the rig anchor points. The location will be reshaped to the original contour to the extent possible. The operator will reseed the area using the BLM recommended seed mixture and reclamation methods.

5. <u>Location and Type of Water Supply:</u>

Please see the Natural Buttes SOP.

6. Source of Construction Materials:

Please see the Natural Buttes SOP.

7. Methods of Handling Waste Materials:

Please see the Natural Buttes SOP.

A plastic reinforced liner is to be used as discussed during on-site inspection. It will be a minimum of 20 mil thick and felt, with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash or scrap that could puncture the liner will be disposed of in the pit.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec. 5, T9S, R22E, NBU #159, Sec. 35, T9S R21E, Ace Oilfield, Sec. 2, T6S, R20E, MC&MC, Sec. 12, T6S, R19E, Pipeline Facility Sec. 36, T9S, R20E, Goat Pasture Evaporation Pond SW/4 Sec. 16, T10S, R22E, Bonanza Evaporation Pond Sec. 2, T10S, R23E (Request is in lieu of filing Form 3160-5, after initial production).

8. Ancillary Facilities:

Please see the Natural Buttes SOP.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

Location size may change prior to the drilling of the well due to the current rig availability. If the proposed location is not large enough to accommodate the drilling rig. The location will be resurveyed and a form 3160-5 will be submitted.

10. Plans for Reclamation of the Surface:

Please see the Natural Buttes SOP.

upon reclamation of the pit the following seed mixture will be used. A total of 12 lbs/acre will be used if the seeds are drilled (24 lbs/acre if the seeds are broadcast). The per acre requirements for *drilled* seed are:

Crested Wheatgrass 12 lbs.

Operator shall call the BLM for the seed mixture when final reclamation occurs.

11. Surface/Mineral Ownership:

The well pad and access road are located on lands owned by:

Ute Indian Tribe P.O. Box 70 Fort Duchesne, Utah 84026 (435) 722-5141

The mineral ownership is listed below:

United States of America Bureau of Land Management 170 South 500 East Vernal, UT 84078 (435)781-4400

12. <u>Stipulations/Notices/Mitigation:</u>

There are no stipulations or notices for this location.

13. Other Information:

A Class III archaeological survey and a paleontological survey have been performed and will be submitted.

This location is not within 460' from the boundary of the Natural Buttes Unit, nor is it within 460' of any non-committed tract lying within the boundaries of the Unit.

14. Lessec's or Operator's Representative & Certification:

Kevin McIntyre Regulatory Analyst Kerr-McGee Oil & Gas Onshore LP P.O. Box 173779 Denver, CO 80217-3779 (720) 929-6226 Randy Bayne Drilling Manager Kerr-McGee Oil & Gas Onshore LP 1368 South 1200 East Vernal, UT 84078 (435) 781-7018

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

Kerr-McGee Oil & Gas Onshore LP is considered to be the operator of the subject well. Kerr-McGee Oil & Gas Onshore LP agrees to be responsible under the terms and conditions of the lease for the operations conducted upon leased lands.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Bureau of Land Management Nationwide Bond #WYB000291.

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

Kevin McIntyre

9/3/2008

Date

Kerr-McGee Oil & Gas Onshore LP NBU #921-08A1S, #921-08A4T, #921-09E2S, #921-08B4S SECTION 8, T9S, R21E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 1.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND SOUTHEASTERLY, AN EASTERLY, THEN INNORTHEASTERLY DIRECTION APPROXIMATELY 3.8 MILES TO JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN RIGHT AND PROCEED IN A SOUTHEASTERLY, THEN EASTERLY DIRECTION APPROXIMATELY 1.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN LEFT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATELY 1.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE EXISTING NBU #202 WELL LOCATION AND THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 40.4 MILES.

Kerr-McGee Oil & Gas Onshore LP

NBU #921-08A1S, #921-08A4T, #921-09E2S, #921-08B4S LOCATED IN UINTAH COUNTY, UTAH

SECTION 8, T9S, R21E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKES

CAMERA ANGLE: NORTHWESTERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ROAD

CAMERA ANGLE: SOUTHERLY



Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 (435) 789-1017 * FAX (435) 789-1813

LOCATION PHOTOS

РНОТО

TAKEN BY: T.A. | DRAWN BY: LDK | REV: 07-09-08 J.J.

Kerr-McGee Oil & Gas Onshore LP

NBU #921-08A1S, #921-08A4T, #921-09E2S, #921-08B4S LOCATED IN UINTAH COUNTY, UTAH

SECTION 8, T9S, R21E, S.L.B.&M.




PHOTO: VIEW OF POINT ON PIPELINE

CAMERA ANGLE: SOUTHERLY




PHOTO: VIEW OF PIPELINE TIE-IN

CAMERAANGLE: NORTHERLY




Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 (435) 789-1017 * FAX (435) 789-1813


LOCATION PHOTOS


12 10 07 MONTH DAY YEAR


PHOTO


TAKEN BY: T.A. | DRAWN BY: LDK | REV: 07-09-08 J.J.




















United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

September 15, 2008

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2008 Plan of Development Natural Buttes Unit

Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2008 within the Natural Buttes Unit, Uintah County, Utah.

API # WELL NAME LOCATION

(Proposed PZ Wasatch/MesaVerde)

43-047-50106 NBU 921-8A4T Sec 08 T09S R21E 0946 FNL 0600 FEL

43-047-50107 NBU 921-8B4S Sec 08 T09S R21E 0986 FNL 0604 FEL BHL Sec 08 T09S R21E 1080 FNL 1749 FEL

43-047-50109 NBU 921-8A1S Sec 08 T09S R21E 0926 FNL 0599 FEL BHL Sec 08 T09S R21E 0307 FNL 0575 FEL

43-047-50110 NBU 921-21E4T Sec 21 T09S R21E 2313 FNL 0696 FWL

43-047-50111 NBU 921-11GT Sec 11 T09S R21E 2110 FNL 1800 FEL

43-047-50112 NBU 921-11HT Sec 11 T09S R21E 1807 FNL 0790 FEL

43-047-50113 NBU 920-24B Sec 24 T09S R20E 0473 FNL 2377 FEL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Natural Buttes Unit

Division of Oil Gas and Mining

Central Files Agr. Sec. Chron Fluid Chron

MCoulthard:mc:9-15-08

Kerr-McGee Oil & Gas Onshore LP



1099 18th Street, Suite 1800 Denver, CO 80202-1918 P.O. Box 173779 Denver, CO 80217-3779 720-929-6000

March 24, 2009

Ms. Diana Mason Division of Oil, Gas and Mining P.O. Box 145801 Salt Lake City, UT 84114-6100

Re: Directional Drilling R649-3-11 NBU 921-8B4S

T9S-R21E

Section 8: NENE (Surf), NWNE (Bottom)

Surface: 986' FNL, 604' FEL Bottom Hole: 1080' FNL, 1749' FEL

Uintah County, Utah

Dear Ms. Mason:

Pursuant to the filing of Kerr-McGee Oil & Gas Onshore LP's (Kerr-McGee) Application for Permit to Drill regarding the above referenced well, we are hereby submitting this letter in accordance with Oil & Gas Conservation Rule R649-3-11 pertaining to the Exception to Location and Siting of Wells.

- Kerr-McGee's NBU 921-8B4S is located within the Natural Buttes Unit area.
- Kerr-McGee is permitting this well as a directional well in order to minimize surface disturbance.
 Locating the well at the surface location and directionally drilling from this location, Kerr-McGee will be able to utilize the existing road and pipelines in the area.
- Furthermore, Kerr-McGee certifies that it is the sole working interest owner within 460 feet of the entire directional well bore.

Therefore, based on the above stated information, Kerr-McGee Oil & Gas Onshore LP requests the permit be granted pursuant to R649-3-11.

Sincerely,

KERR-MCGEE OIL & GAS ONSHORE LP

Lynn Padgett Staff Landman

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED:	9/8/2008	API NO. ASSIGNED:	43047501070000			
WELL NAME:	NBU 921-8B4S					
OPERATOR:	KERR-MCGEE OIL & GAS ONS	HORE, L.P. (N2995) PHONE NUMBER:	720 929-6226			
CONTACT:	Kevin McIntyre					
PROPOSED LOCATION:	NENE 8 090S 210E	Permit Tech Review:				
SURFACE:	0986 FNL 0604 FEL	Engineering Review:				
воттом:	1080 FNL 1749 FEL	Geology Review:				
COUNTY:	UINTAH					
LATITUDE:	40.05516	LONGITUDE:	-109.56768			
UTM SURF EASTINGS:	622170.00	NORTHINGS:	4434652.00			
FIELD NAME:	NATURAL BUTTES					
LEASE TYPE:	1 - Federal					
LEASE NUMBER:	UTU-0149767	PROPOSED FORMATION:	WSMVD			
SURFACE OWNER:	2 - Indian	COALBED METHANE:	NO			
RECEIVED AND/OR REVI	FWFD:	LOCATION AND SITING:				
PLAT	LWLD.	№ R649-2-3.				
P PLAT		<u> </u>				
Bond: FEDERAL - WYE	3000291	Unit: NATURAL BUTTES				
Potash		R649-3-2. General				
☑ Oil Shale 190-5						
Oil Shale 190-3		R649-3-3. Exception				
Oil Shale 190-13		✓ Drilling Unit				
✓ Water Permit: Permit	c #43-8496	Board Cause No: CAUSE: 173-14				
RDCC Review:		Effective Date: 12/2/1999				
Fee Surface Agreem	ent	Siting: 460' fr u bdry & uncomm. tract				
Intent to Commingle	3	R649-3-11. Directional Drill				
Comments: Presite (Completed					
Stipulations: 4 - Fed	eral Approval - dmason Shale 190-5(b) - dmason					



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: NBU 921-8B4S API Well Number: 43047501070000 Lease Number: UTU-0149767

Surface Owner: INDIAN **Approval Date:** 3/26/2009

Issued to:

KERR-MCGEE OIL & GAS ONSHORE, L.P., P.O. Box 173779, Denver, CO 80217

Authority:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of CAUSE: 173-14.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

In accordance with the Order in Cause No. 190-5(b) dated October 28, 1982, the operator shall comply with the requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operators shall ensure that the surface and or production casing is properly cemented over the entire oil shale section as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the division.

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

Notification Requirements:

Notify the Division with 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 home

API Well No: 43047501070000

Reporting Requirements:

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

Approved By:

Gil Hunt

Associate Director, Oil & Gas

Die Hut

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-0149767
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute
	sals to drill new wells, significantly deepe gged wells, or to drill horizontal laterals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 921-8B4S
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	HORE, L.P.		9. API NUMBER: 43047501070000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	treet, Suite 600, Denver, CO, 80217 3779	PHONE NUMBER: 9 720 929-6007 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0986 FNL 0604 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NENE Section: 8	IP, RANGE, MERIDIAN: Township: 09.0S Range: 21.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
Kerr-McGee Oil & Ga extension to this A	□ ACIDIZE □ CHANGE TO PREVIOUS PLANS □ CHANGE WELL STATUS □ DEEPEN □ OPERATOR CHANGE □ PRODUCTION START OR RESUME □ REPERFORATE CURRENT FORMATION □ TUBING REPAIR □ WATER SHUTOFF □ WILDCAT WELL DETERMINATION OMPLETED OPERATIONS. Clearly show all percase Onshore, L.P. (Kerr-McGeee) PD for the maximum time all with any questions and/or continuous properties.	e) respectfully requests an owed. Please contact the mments. Thank you.	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: Folumes, etc. Approved by the Utah Division of Oil, Gas and Mining ate: March 25, 2010 y:
NAME (PLEASE PRINT) Danielle Piernot	PHONE NUMBER	R TITLE Regulatory Analyst	
SIGNATURE N/A	720 929-6156	DATE 3/24/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047501070000

API: 43047501070000 Well Name: NBU 921-8B4S

Location: 0986 FNL 0604 FEL QTR NENE SEC 8 TWNP 090S RNG 210E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 3/26/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not requ

uire revi	sion. Following is a checklist of	some items related to the applicati	on, which should be verified.
	eted on private land, has the ow ed? 📗 Yes 🌘 No	nership changed, if so, has the sur	face agreement been
	any wells been drilled in the vici requirements for this location?	inity of the proposed well which wo	ould affect the spacing or
	nere been any unit or other agre s proposed well? 🕡 Yes 🍺 I	ements put in place that could affe	ect the permitting or operation
	there been any changes to the a the proposed location? () Ye	ccess route including ownership, o s 📵 No	r rightof- way, which could
• Has tl	ne approved source of water for	drilling changed? 📗 Yes 📵 No)
		s to the surface location or access seed at the onsite evaluation?	
• Is boı	nding still in place, which covers	this proposed well? 📵 Yes 🗍	Approved by the No Utah Division of Oil, Gas and Mining
nature:	Danielle Piernot Date	: 3/24/2010	
Title:	Regulatory Analyst Representing	: KERR-MCGEE OIL & GAS ONSHOR	te: March 25, 2010
	- · · ·	·	1/12 00 1

Sig

By: Dally

	STATE OF UTAH		FORM 9
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-0149767
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute
	sals to drill new wells, significantly deepei igged wells, or to drill horizontal laterals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 921-8B4S
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	HORE, L.P.		9. API NUMBER: 43047501070000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	treet, Suite 600, Denver, CO, 80217 3779	PHONE NUMBER: 9 720 929-6007 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0986 FNL 0604 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NENE Section: 8	IP, RANGE, MERIDIAN: Township: 09.0S Range: 21.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
Kerr-McGee Oil & Ga extension to this A	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION MPLETED OPERATIONS. Clearly show all pe	e) respectfully requests an owed. Please contact the mments. Thank you.	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: Folumes, etc. Approved by the Utah Division of Oil, Gas and Mining ate: March 25, 2010 y:
NAME (PLEASE PRINT) Danielle Piernot	PHONE NUMBER	R TITLE Regulatory Analyst	
SIGNATURE N/A	720 929-6156	DATE 3/24/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047501070000

API: 43047501070000 Well Name: NBU 921-8B4S

Location: 0986 FNL 0604 FEL QTR NENE SEC 8 TWNP 090S RNG 210E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 3/26/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not requ

uire revi	sion. Following is a checklist of	some items related to the applicati	on, which should be verified.
	eted on private land, has the ow ed? 📗 Yes 🌘 No	nership changed, if so, has the sur	face agreement been
	any wells been drilled in the vici requirements for this location?	inity of the proposed well which wo	ould affect the spacing or
	nere been any unit or other agre s proposed well? 🕡 Yes 🍺 I	ements put in place that could affe	ect the permitting or operation
	there been any changes to the a the proposed location? () Ye	ccess route including ownership, o s 📵 No	r rightof- way, which could
• Has tl	ne approved source of water for	drilling changed? 📗 Yes 📵 No)
		s to the surface location or access seed at the onsite evaluation?	
• Is boı	nding still in place, which covers	this proposed well? 📵 Yes 🗍	Approved by the No Utah Division of Oil, Gas and Mining
nature:	Danielle Piernot Date	: 3/24/2010	
Title:	Regulatory Analyst Representing	: KERR-MCGEE OIL & GAS ONSHOR	te: March 25, 2010
	- · · ·	·	1/12 00 1

Sig

By: Dally

Sundry Number: 13662 API Well Number: 43047501070000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-0149767
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute
	sals to drill new wells, significantly deepen e ugged wells, or to drill horizontal laterals. Us		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 921-8B4S
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	HORE, L.P.		9. API NUMBER: 43047501070000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	PHON treet, Suite 600, Denver, CO, 80217 3779	TE NUMBER: 720 929-6515 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0986 FNL 0604 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NENE Section: 08	IP, RANGE, MERIDIAN: Township: 09.0S Range: 21.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REPORT	, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
Kerr-McGee Oil & G extension to this A	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION SMPLETED OPERATIONS. Clearly show all perticals Onshore, L.P. (Kerr-McGee) APD for the maximum time allowith any questions and/or com	respectfully requests an wed. Please contact the nments. Thank you.	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: volumes, etc. Approved by the Utah Division of Oil, Gas and Mining Oate: 03/23/2011
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE Regulatory Analyst	
Danielle Piernot SIGNATURE	720 929-6156	DATE	
N/A		3/21/2011	

Sundry Number: 13662 API Well Number: 43047501070000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047501070000

API: 43047501070000 **Well Name:** NBU 921-8B4S

Location: 0986 FNL 0604 FEL QTR NENE SEC 08 TWNP 090S RNG 210E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 3/26/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
Data 2/21/2011

Signature: Danielle Piernot **Date:** 3/21/2011

Title: Regulatory Analyst Representing: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Sundry Number: 24032 API Well Number: 43047501070000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-0149767
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 921-8B4S
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	NSHORE, L.P.		9. API NUMBER: 43047501070000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18t	h Street, Suite 600, Denver, CO, 80217	PHONE NUMBER: 73779 720 929-	9. FIELD and POOL or WILDCAT: 65NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0986 FNL 0604 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 08 Township: 09.0S Range: 21.0E Merid	lian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
7	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
3/26/2012	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
42 DESCRIPE PROPOSED OR		all nertinent details including detac	double valumes at
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Kerr-McGee Oil & Gas Onshore, L.P. (Kerr-McGee) respectfully requests an extension to this APD for the maximum time allowed. Please contact the undersigned with any questions and/or comments. Thank you. Approved by the Utah Division of Oil, Gas and Mining			
			Date: March 26, 2012
			By: Backylll
NAME (PLEASE PRINT)	PHONE NUMB		
Danielle Piernot	720 929-6156	Regulatory Analyst	
SIGNATURE N/A		DATE 3/20/2012	

Sundry Number: 24032 API Well Number: 43047501070000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047501070000

API: 43047501070000 Well Name: NBU 921-8B4S

Location: 0986 FNL 0604 FEL QTR NENE SEC 08 TWNP 090S RNG 210E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 3/26/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

······
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? 🔘 Yes 🌘 No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? No
nature: Danielle Piernot Date: 3/20/2012

Sig

Title: Regulatory Analyst Representing: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Sundry Number: 35101 API Well Number: 43047501070000

	FORM 9		
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-0149767
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 921-8B4S
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ON	NSHORE, L.P.		9. API NUMBER: 43047501070000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18tl	h Street, Suite 600, Denver, CO, 80217	PHONE NUMBER: 73779 720 929-0	9. FIELD and POOL or WILDCAT: 5NATERAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0986 FNL 0604 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 08 Township: 09.0S Range: 21.0E Merid	lian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
7	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
3/26/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion.	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Kerr-McGee Oil & Gas Onshore, L.P. (Kerr-McGee) respectfully requests an extension to this APD for the maximum time allowed. Please contact the undersigned with any questions and/or comments. Thank you. Date: March 04, 2013 By:			
NAME (PLEASE PRINT) Luke Urban	PHONE NUMB 720 929-6501	ER TITLE Regulatory Specialist	
SIGNATURE N/A		DATE 2/28/2013	

Sundry Number: 35101 API Well Number: 43047501070000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047501070000

API: 43047501070000 Well Name: NBU 921-8B4S

Location: 0986 FNL 0604 FEL QTR NENE SEC 08 TWNP 090S RNG 210E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 3/26/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? 🦳 Yes 🌘 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Luke Urban Date: 2/28/2013

Sig

Title: Regulatory Specialist Representing: KERR-MCGEE OIL & GAS ONSHORE, L.P.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Green River District Vernal Field Office 170 South 500 East Vernal, UT 84078 http://www.blm.gov/ut/st/en/fo/vernal.html



April 1, 2013

IN REPLY REFER TO: 3160 (UTG011)

Julie Jacobson Kerr McGee Oil & Gas Onshore LP PO Box 173779 Denver, CO 80217-3779

43 047 50107

Re: Request to Return APD Well No. NBU 921-8B4S NENE, Sec. 8, T9S, R21E Uintah County, Utah Lease No. UTU-0149767 Natural Buttes Unit

Dear Julie:

The Application for Permit to Drill (APD) for the above referenced well received in this office on August 11, 2010, is being returned unapproved per your request to this office in an email message to Natural Resource Specialist Tyler Cox received on March 7, 2013. If you intend to drill at this location at a future date, a new APD must be submitted.

If you have any questions regarding APD processing, please contact Robin R. Hansen at (435) 781-3428.

Sincerely,

/s/ Jerry Kenczka

Jerry Kenczka Assistant Field Manager Lands & Resource Minerals

Enclosures

CC:

UDOGM

bcc:

Well File

RECEIVED

MAY 0 1 2013

DIV. OF OIL, GAS & MINING



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

February 20, 2014

Teena Paulo Kerr-McGee Oil & Gas Onshore, LP 1099 18th Street, Suite 600 Denver, CO 80202

Re: APDs Rescinded for Kerr-McGee O&G Onshore, L.P., Uintah County

Dear Ms. Paulo:

Enclosed find the list of APDs that you have asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective February 20, 2014.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

cc: Well File

Bureau of Land Management, Vernal



43-047-52301	NBU 1022-25D3AS
43-047-52302	NBU 1022-25E2AS
43-047-53531	NBU 1022-5A4BS
43-047-53579	NBU 1022-5F4BS
43-047-50107	NBU 921-8B4S
43-047-50109	NBU 921-8A1S
43-047-52299	NBU 1022-25F2AS
43-047-52296	NBU 1022-25C3DS
43-047-52297	NBU 1022-25C3AS
43-047-52295	NBU 1022-25C2DS
43-047-52300	NBU 1022-25D3DS
43-047-52298	NBU 1022-25D2DS
43-047-51025	NBU 921-11I

Ä